

MATERIAL SAFETY DATA SHEET

SCHABOS GmbH
Widdersdorfer Str. 236-240
50825 Köln

441-00

Page 1 of 3
Date Prepared: 05.05.2017
Date Printed: 08.05.2017

1. CHEMICAL PRODUCTS AND COMPANY IDENTIFICATION

Main Identity

Product Name: 441-00

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient (s)	CAS Number	% (by weight)
53# Kraft Release Liner	N/A	N/A
Medical Grade Acrylic Adhesive	N/A	N/A
Clay Modified Polypropylene Film	N/A	N/A

3. HAZARDS IDENTIFICATION

Potential Health Effects

Eye: Can cause eye irritation if adhesive contacts eye.

Skin: May cause mild skin irritation with repeated or prolonged skin contact.

Ingestion: Swallowing of this material during normal handling is not likely.
If swallowed seek medical attention for swallowed solid Acrylic adhesive material.

Inhalation: The smell of this adhesive is not likely to cause harmful effects.

Symptoms of Exposure: Signs and symptoms of exposure to this adhesive through breathing, ingestion and or skin contact may include: stomach or intestinal upset (nausea, vomiting, diarrhea), and skin irritation.

Chronic Effects: No Data

4. FIRST AID MEASURES

Eyes: If eye contact is made with adhesive. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.

Skin: Wash exposed area with soap and water. If rash continues seek medical attention.

Ingestion: Seek medical attention.

Inhalation: Move to fresh air.

MATERIAL SAFETY DATA SHEET
441-00

SCHABOS GmbH
Widdersdorfer Str. 236-240
50825 Köln

Page 2 of 3
Date Prepared: 05.05.2017
Date Printed: 08.05.2017

5. FIRE FIGHTING MEASURES

Flash Point: Like paper

Explosive Limit: N/A

Hazardous Products of Combustion: May form carbon dioxide, carbon monoxide and various hydrocarbons.

Fire and Explosion Hazards: None

Extinguishing Media: Regular foam, water from fog nozzles, carbon dioxide, dry chemical.

Fire Fighting Instructions: for large fire full turn-out gear. Do not inhale smoke wear self-contained breathing apparatus.

NFPA Rating: Not determined

6. ACCIDENTAL RELEASE MEASURES

N/A

7. HANDLING AND STORAGE

Do not get in eyes, or on clothing. Follow your company's policies. Store at 70°F +/- 5°F at 50% humidity.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection: Safety Glasses recommended

Skin Protection : N/A

Respiratory Protections: N/A

Engineering Controls: N/A

Exposure Guidelines: N/A

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Pressure Sensitive Polypropylene Substrate tape

Color: Clear to Light Amber

MATERIAL SAFETY DATA SHEET

441-00

SCHABOS GmbH
Widdersdorfer Str. 236-240
50825 Köln

Page 3 of 3
Date Prepared: 05.05.2017
Date Printed: 08.05.2017

10. STABILITY AND REACTIVITY

Hazardous Polymerization: Will not occur

Hazardous Decomposition: May form: carbon dioxide, carbon monoxide and various hydrocarbons.

Chemical Stability: Stable

Conditions to Avoid: Avoid contact with strong alkalis, strong mineral acids, strong oxidizing agents.

11. TOXICOLOGICAL INFORMATION

None Established

12. ECOLOGICAL INFORMATION

None Established

13. DISPOSAL CONSIDERATION

Waste Management Information

Dispose in accordance with applicable local, state and federal regulations.

14. TRANSPORT INFORMATION

D.O.T. Shipping Information: Class 55

Container/Mode: Slit roll, Master or pallet

NOS Component: None

RQ (Reportable Quantity): N/A

15. REGULATORY INFORMATION

US FEDERAL REGULATIONS: N/A

16. OTHER INFORMATION

None

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Information in section 15, Regulatory Information, is intended to be as complete as possible. It is ultimately the user's responsibility, however, to determine state, and local laws in the use of this product. Cantech Industries, Inc. assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.